



ELSEVIER

Colloids and Surfaces

A: Physicochemical and Engineering Aspects 119 (1996) 265–266

COLLOIDS
AND
SURFACES

A

Contents of Volume 119

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS)

Vol. 119 No. 1

| | |
|---|----|
| Electric light scattering from polytetrafluoroethylene suspensions T. Radeva, V. Peikov, S.P. Stoylov (Sofia, Bulgaria) and H.H. Hoffmann (Bayreuth, Germany) | 1 |
| Interlamellar adsorption of 1-pentanol from aqueous solution on hydrophobic clay mineral I. Dekany, A. Farkas, Z. Kiraly (Szeged, Hungary), E. Klumpp and H.D. Narres (Jülich, Germany) | 7 |
| Fine silica powder modified with quaternary ammonium group. 3. The adsorption behavior of anionic surfactants T. Suhara, H. Fukui, M. Yamaguchi and F. Suzuki (Yokohama, Japan) | 15 |
| Adsorption of 2,2'-dipyridyl onto silica modified by Cu^{2+} ions N.N. Vlasova and N.K. Davidenko (Kiev, Ukraine) | 23 |
| Influence of hydrocarbon chain length on thermodynamic properties of aliphatic alcohol/aliphatic acid mixed monolayers formed at the aqueous solution–air interface. Part 2 J. Rychlicka-Rybska (Cracow, Poland) | 29 |
| A surface study of zirconia-based solid acids by Laser Raman spectroscopy of adsorbed pyridine M.I. Zaki and A.A.M. Ali (Safat, Kuwait) | 39 |
| Flocculation of montmorillonite dispersions based on surfactant-polymer interactions S. Magdassi and B.-Z. Rodel (Jerusalem, Israel) | 51 |
| Viscoelastic properties in the course of hydrolysis and condensation reactions of modified titanium alkoxides leading to gelation E. Rudé, J. Llorens and C. Mans (Barcelona, Spain) | 57 |
| Conductometric investigations of samarium valerate, caproate and caprylate in methanol K.N. Mehrotra, R.K. Shukla and M. Chauhan (Agra, India) | 67 |
| Determination of size/shape parameters of colloidal ellipsoids by photon correlation spectroscopy A. Quirantes (Jaén, Spain), A. Ben-Taleb and A.V. Delgado (Granada, Spain) | 73 |
| Micellar properties of nonionic saccharide surfactants with amide linkage in aqueous solution T. Arai, K. Takasugi and K. Esumi (Tokyo, Japan) | 81 |
| <i>Brief note</i> | |
| The use of oppositely charged polyelectrolytes as flocculants and retention aids G. Petzold, H.-M. Buchhammer and K. Lunkwitz (Dresden, Germany) | 87 |

Vol. 119 Nos. 2/3

| | |
|---|-----|
| Langmuir–Blodgett monolayers and multilayers of gramicidin A and lipids as membrane-mimetic models N. Vila (Santiago, Spain), M. Puggelli and G. Gabrielli (Florence, Italy) | 95 |
| Fine silica powder modified with quaternary ammonium group 4. Bactericidal activity T. Suhara, F. Shimano, Y. Sato, H. Fukui and M. Yamaguchi (Yokohama, Japan) | 105 |
| Spherical dodecyltrimethylammonium bromide micelles in the limit region of transition to rod-like micelles. A light scattering study M. Pisárčik, F. Devínsky and E. Švajdlenka (Bratislava, Slovakia) | 115 |
| Preparation of colloidal cobalt using reversed micelles J. Eastoe, S. Stebbing, J. Dalton (Bristol, UK) and R.K. Heenan (Chilton, UK) | 123 |

| | |
|--|-----|
| Na ⁺ –Ca ²⁺ Exchange effects in the detachment of latex colloids deposited in glass bead porous media S.B. Roy and D.A. Dzombak (Pittsburgh, USA) | 133 |
| Premicellar aggregates in a mixed system of a surfactant (SDS) and polymer (EHEC) G.M.M. Medeiros and S.M.B. Costa (Lisboa, Portugal) | 141 |
| Surface-tension studies of inclusion complexes of hexanediols with cyclodextrins in aqueous solutions Y. Saito, M. Abe, T. Sato (Chiba, Japan), J.F. Scamehorn and S.D. Christian (Norman, USA) | 149 |
| Keratin cystine reactivity in microemulsion media: influence of cosurfactant chain length M.P. Savelli (Compiègne, France), C. Solans, R. Pons (Barcelona, Spain), M. Clausse (Compiègne, France) and P. Erra (Barcelona, Spain) | 155 |
| Adsorption of amphiphilic mixtures and stabilization of suspensions of hydrophobic solids in water G. Gabrielli, F. Cantale and G.G.T. Guarini (Florence, Italy) | 163 |
| Fractal dimension of microporous carbon on the basis of Polanyi–Dubinin theory of adsorption. Dubinin– Radushkevich adsorption isotherm equation A.P. Terzyk, R. Wojsz, G. Rychlicki and P.A. Gauden (Torun, Poland) | 175 |
| Effect of surfactant counterion on spectroscopic properties of water in oil microemulsions M. Camardo, M. D'Angelo, S. Mannaioli, G. Onori and A. Santucci (Perugia, Italy) | 183 |
| Solubilization of toluene in surfactant bilayers formed in the interlayer space of vermiculite A.I. Becerro (Sevilla, Spain), M.A. Castro and R.K. Thomas (Oxford, UK) | 189 |
| Preparation of nanosize FeS particles on SiO ₂ and clay mineral supports: SAXS and Mössbauer spectroscopic measurements I. Dékány, L. Turi (Szeged, Hungary), Z. Homonnay, A. Vértes (Budapest, Hungary) and K. Burger (Szeged, Hungary) | 195 |
| Effect of calcination temperature on the electrokinetic properties of colloidal zirconia M. Prica, S. Biggs, F. Grieser and T.W. Healy (Parkville, Australia) | 205 |
| Equation of physical adsorption on a homogeneous surface based on a two-dimensional analog of the Beattie– Bridgeman equation of a real gas state J.K. Garbacz (Bydgoszcz, Poland), A.P. Terzyk, G. Łyjak and G. Rychlicki (Torun, Poland) | 215 |
| Surface viscoelasticity in mixed polycation anionic surfactant systems studied by a simple test S.T.A. Regismond, F.M. Winnik (Hamilton, Canada) and E.D. Goddard (Haworth, USA) | 221 |
| Factors influencing the flocculation of colloidal particles by a model anionic polyelectrolyte H.W. Walker and S.B. Grant (Irvine, USA) | 229 |
| Suppression of microbially mediated dissolution of pyrite by originally isolated fulvic acids and related compounds K. Sasaki, M. Tsunekawa, S. Tanaka and H. Konno (Sapporo, Japan) | 241 |
| Studies of rheological behavior of colloidal silica suspensions with interaction potential A. Ponton, D. Quemada, F. Lafuma and O. Neel (Paris, France) | 255 |
| <i>Author Index</i> | 261 |
| <i>Subject Index</i> | 263 |
| <i>Volume Contents</i> | 265 |

